



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/608,354	06/29/2000	Donald Hooper	10559/222001/P8715	8914
20985	7590	05/26/2005	EXAMINER	
FISH & RICHARDSON, PC 12390 EL CAMINO REAL SAN DIEGO, CA 92130-2081			EDELMAN, BRADLEY E	
			ART UNIT	PAPER NUMBER

2153

DATE MAILED: 05/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/608,354

Applicant(s)

HOOPER, DONALD

Examiner

Bradley Edelman

Art Unit

2153

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 February 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 23-35 (incorrectly numbered by Applicant 23-24 and 26-36) is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 23-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 June 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

This office action is in response to Applicant's amendment and request for continuing examination filed on February 24, 2004. Claims 23-35 are presented for further examination. Note that the claim amendments incorrectly numbered the claims by skipping claim 25. For examination purposes, Examiner will refer to the claims as incorrectly numbered.

Specification

1. Examiner appreciates Applicant's amendment to the specification to add a brief summary. The objections to the specification are therefore withdrawn.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 23, 24, and 26-36, as numbered by Applicant, are rejected under 35 U.S.C. 103(a) as being unpatentable over Lipman et al. (U.S. patent No. 6,192,051, hereinafter "Lipman"), in view of Sindhu et al. (U.S. Patent No. 6,493,347, hereinafter "Sindhu").

In considering claim 23, Lipman discloses network router ("router 10") comprising:

An input switch and an output switch (inherent in a router);

A controller ("controller 12," Fig. 1; col. 6, lines 34-35), the controller comprising a look-up engine receiving look-up requests (col. 7, lines 17-50);

a memory for storing data for access by a longest prefix match program (Fig. 2, "forwarding controller memory"), the program comprising:

A data structure stored in the memory, the data structure including information resident in a database ("routing database"; col. 7, lines 21-23) used by the longest prefix match program and including:

A large table at a root ("Level 1 routing entries"; col. 10, line 34), the root branching to nodes containing small trie tables ("level-2 routing entries"; col. 10, lines 61-62; Fig. 7), each trie table addressed by a span of IP address bits ("IP address bits [15:8]") to locate an indexed trie entry (col. 10, lines 39-46, 61-63), the indexed trie entry including a route pointer ("next hop address") and a trie pointer ("key"; col. 10, lines 39-46; col. 11, lines 5-14, wherein the next hop address points to a destination address and the key points to another trie table within the routing structure).

However, Lipman does not teach that the controller has a plurality of look-up engines, each engine receiving look-up requests in a round-robin fashion. Nonetheless, using a plurality of look-up engines in a router to receive routing requests in a round-robin fashion is well-known, as evidenced by Sindhu. In a similar art, Sindhu discloses a router for switching packets from a source to a destination, including a controller

Art Unit: 2153

wherein "a plurality of route look-up engines 110 are included in controller 106, each receiving look-up requests in round-robin fashion" (col. 16, lines 52-56). Sindhu further describes a motivation for using a plurality of route look-up engines as "to speed the routing process" (col. 16, lines 56-57). Therefore, given this well-known feature and its benefits both disclosed by Sindhu, it would have been obvious to include it in the controller disclosed by Lipman.

In considering claim 24, Lipman further discloses that the small trie tables each comprise prefix match fields for each indexed entry (i.e. "pointer values"; col. 11, lines 46-47), a population count of pointers (i.e. 256 level-2 entries, see Fig. 7), and hidden prefix entries (col. 12, lines 40-50, describing pointers that only act as prefix entries when another pointer is deleted).

In considering claim 26 (which should be numbered 25), Lipman further discloses that the hidden prefix entries hold shorter prefix entry pointers (col. 12, lines 51-58, describing the shorter entry pointers being used when the longer pointer is deleted).

In considering claim 27 (which should be numbered 26), Lipman further discloses that the small trie tables are stored in SRAM (i.e. cache) and used for route lookups ("lookup"; col. 9, lines 49-51), route adds ("adds"), and route deletes ("deletes"; col. 12, lines 1-14, 40-50).

In considering claim 28 (which should be numbered 27), Lipman further discloses that the indexed trie entry is a 32-bit longword (col. 10, lines 54-56; Fig. 7, box 140, showing the 32-bit IP address).

In considering claim 29 (which should be numbered 28), Lipman discloses a network router ("router 10") comprising:

A plurality of input and output ports (col. 14, lines 23-34, describing "input" and "output" "ports P0-P3") linked to an input switch and an output switch (both inherent);

A controller ("controller 12," Fig. 1; col. 6, lines 34-35), the controller comprising a look-up engine receiving look-up requests (col. 7, lines 17-50); and

A memory (Fig. 2, "forwarding controller memory"), the memory including a method of searching a database for a prefix representing a destination address (col. 7, lines 21-41, "routing database... enable[s] the device 10 to make decisions regarding how packets received on a segment 20 or 22 are to be forwarded), the method comprising:

Reading a data structure stored in the memory, the data structure comprising a large table at a root ("level-1 routing entries"; col. 10, lines 55-57), the root branching to two nodes containing small trie tables ("level-2 routing entries"; col. 10, lines 61-62; Fig. 7), each trie table addressed by a span of IP address bits ("IP address bits [15:8]") to locate an indexed trie entry (col. 10, lines 39-46, 61-63), the indexed trie entry including a route pointer ("next hop address") and a trie pointer ("key"; col. 10, lines 39-46; col.

11, lines 5-14, wherein the next hop address points to a destination address and the key points to another trie table within the routing structure); and

Traversing in parallel the two trie tables to find a match of a trie entry to the prefix (col. 14, lines 29-32, "there can be multiple lookups pending at a given time in the address resolution logic"; col. 16, lines 26-28, "comparison logic 192, and search control logic 194 of Fig. 9 are configured to compare the search key to four tree entries simultaneously").

However, Lipman does not teach that the controller has a plurality of look-up engines, each engine receiving look-up requests in a round-robin fashion. Nonetheless, using a plurality of look-up engines in a router to receive routing requests in a round-robin fashion is well-known, as evidenced by Sindhu. In a similar art, Sindhu discloses a router for switching packets from a source to a destination, including a controller wherein "a plurality of route look-up engines 110 are included in controller 106, each receiving look-up requests in round-robin fashion" (col. 16, lines 52-56). Sindhu further describes a motivation for using a plurality of route look-up engines as "to speed the routing process" (col. 16, lines 56-57). Therefore, given this well-known feature and its benefits both disclosed by Sindhu, it would have been obvious to include it in the controller disclosed by Lipman.

In considering claim 30 (which should be numbered 29), Lipman further discloses that the route pointer represents the destination address ("next hop address") and the trie pointer points to a next small trie table ("key"; col. 10, lines 39-46; col. 11, lines 5-14,

Art Unit: 2153

wherein the next hop address points to a destination address and the key points to another trie table within the routing structure).

In considering claim 31 (which should be numbered 30), Lipman further discloses that the small trie tables each comprise prefix match fields for each indexed entry (i.e. "pointer values"; col. 11, lines 46-47), a population count of pointers (i.e. 256 level-2 entries, see Fig. 7), and hidden prefix entries (col. 12, lines 40-50, describing pointers that only act as prefix entries when another pointer is deleted).

In considering claim 32 (which should be numbered 31), Lipman further discloses reporting a non-match if the prefix does not match an entry (col. 12, lines 1-14, "if no such tree or trees exist, then new level-3 and/or level-2 trees are created for the new routing entry").

In considering claim 33 (which should be numbered 32), Lipman further discloses that a first large table is a single 64K entry table that is indexed by bits 31:16 of an IP address ("64k level 1 entries," "indexed by IP address bits [31:16]"; col. 10, lines 56-58).

In considering claim 34 (which should be numbered 33), Lipman does not explicitly disclose that a second large table is indexed specifically by bits 31:24 of an IP address. However, Lipman does disclose that a second large table could be indexed by bits [31:20] and further suggests that "in alternative embodiments it may be desirable to

Art Unit: 2153

shuffle the address fields with respect to the levels” (col. 18, line 65 – col. 19, line 5).

Thus, as evidenced by Lipman, the specific selection of bits for indexing each level is a matter of design choice, and it would have been obvious to include only bits 31:24 in the root table taught by the combined system of Lipman and Sindhu (rather than bits 31:16 or 31:20) because fewer indexing bits at any particular level allows traversal through that level to either be faster or to use less memory.

In considering claims 35 and 36 (which should be numbered 34 and 35 respectively), Lipman further discloses that the small tables are dynamically allocated (i.e. added to or deleted from in real time, col. 12, lines 1-50) and comprise:

A tree with each node representing 16 bits of addresses covering an extension of 1-16 bits of a prefix entry from a previous tree (Fig. 7, node 40, for example). Again, although Lipman does not explicitly disclose that the nodes in the small tables represent 4 bits of address covering an extension of 1-4 bits of a prefix entry from a previous tree, Lipman discloses that it may be desirable to shuffle the address fields with respect to the levels. Here, it would have been desirable to shuffle the address fields in level one such that each node at the level-2 table covers only 4 bits of addresses, in order to simplify the level-2 and level-3 (or to even eliminate the need for the level-3) tables. Therefore, it would have been obvious for the small tables taught by the combined system of Lipman and Sindhu to have nodes representing only 4 bits of addresses, instead of 16 bits.

Response to Arguments

3. In response to Applicant's request for reconsideration filed on February 24, 2004, the following factual arguments are noted:

a. Lipman does not disclose a controller comprising a plurality of look-up engines, each of the look-up engines receiving look-up requests in a round robin fashion, as claimed in the amended claims.

In considering this argument, Examiner agrees, and has applied new art in rejecting the claims. Notably, Sindhu discloses such a feature, and further describes why it would be desirable to include such a feature in the router controller taught by Lipman.

Conclusion


The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley Edelman whose telephone number is 571-272-3953. The examiner can normally be reached from 9 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glen Burgess can be reached at 571-272-3949. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2153

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



BE

May 24, 2005